Technical Specification for Procurement of Double Cab Pickup

Qty: 1

S.N.	CRITERIA	DEPARTMENTAL REQUIREMENT	OFFERED SPECIFICATION
1	General	Dialam Dight Hand Drive model with	Make:
1		a last design chilianic iti univing	Model:
	p d r	ROAD condition giving smooth economics performance and in OFF-ROAD conditions capable of performance and capable of performa	Country
		delivering strong adequate traction and maneuverability/stability needed for safe driving in maneuverability/stability needed for safe driving in	of Origin:
		rough, sandy or slippery and hiny road community Nepal at an altitude upto 2000 meter and in ambient	
		Nepal at an altitude upto 2000 inter- temperature between -5°C to 50°C.	
		2600 Kgs and shall have seating capacity for at	4
	-		
		1 1 diagol knothe (ICVCIUDING 1900)	Make:
2	Engine		,
			Model:
		I III a dovices in sais, sinoun,	
	A Section 1997		,
		performance producing lesser amount of pollutive	
	v.	emissions.	
		· · · · · · · · · · · · · · · · · · ·	
3	120		-
1	Standard	1 1 WOGOWINOM IN ICUMI I CITAL	
1		The Standard Which is to be continued in	
	-	Trongnort Wallagement	
		The state of the galloes indicators, signated	j=
4	4 Gauges	necessary for efficient operation, functional	.+
	- 5-	monitoring, vehicle performance and many includes (but not limited to) Battery charge indicator, includes (but not limited to) Battery charge indicator, includes (but not limited to) Battery charge indicator,	
		water temperature, fuel, oil pressure, transmission	18
	1 1	water temperature, fuel, on pressure, transporting gauge etc. with all standard items of offered model	- "
		vehicle land one reverse a	11
_	5 Transmissi	Manual shift, at least five forward and one reverse, a	
	A STATE OF THE PARTY OF THE PAR	forward synchromesh	
-	6 Ground	7.6' - ' 105 mm	
	6 Ground clearance		org
L		- legil enrings/10[S10] Dai/Silott	
	7 Suspensio	at front and rear	
-	8 Tyres	Standard Size	
-		Power assisted/Power Steering	N .
	9 Steering	288	\cap $0 \mid X$

od English

10	Brakes	Front Disc type, rear Disc/Drum type, hydraulic operated on all wheels, and parking brake.	
11	Fuel Tank	Not less than 50 Liters.	
12	Cab	4 doors, all metallic cab with insulated roof, right hand drive, laminated glass windscreen, wipers, glass	
		windows on doors, through ventilation, comfortable seats for driver and passenger, floor mats, two sun visors, and two side view mirrors and rear view mirror.	
13	Chassis and Frame	Steel, heavy duty high rigidity frame structure suitable for rough road conditions with hook at front.	
14	Essential Accessories	 Head light, tail and rear light, reversing light and turn signals. Cabin lights Speedometer / odometer. 	
		 Heavy duty front bumper. 1 Spare wheel with tyre and tube Hydraulic jack with handle mud guard at front and rear Front seat belt for driver and co-passenger 	
		Equipped with all accessories offered in standard model but not limited to the above items.	
15	Instructions	All signs and instructions in the vehicle shall be in English.	
16	Manuals	One copy of the Operator's and Owner's Instructions and Maintenance manual in English shall be supplied.	6
17	Tools	A set of tools, with a tool bag, as required for general maintenance shall be supplied.	
18	Color	Standard Color	
19		least one year. 2. The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance curve of the engine and	
		production capacity.	

Oush Y.

		or a minimum of one year after acceptance.	
21.	Initial Service	The supplier shall provide with the vehicle all the necessary filters and spare parts required for the first two services, after the vehicle has been commissioned and accepted.	
22	Delivery	The Double-cab Pickup, RHD, 4WD, 1 unit, shall be delivered to: Balephi Rural Municipality, Office of Rural Municipal Executive, Balephi, Sindhupalchowk.	
N. J		^	

Signature:

Designation: Senior Divisional Enginees (Mechanical)

Office: Department of Water resource and Irri-

Approved By:

प्रमुख प्रशासकीय अधिकृत